



HOW DO PLASMEDIC PLASMA TREATMENTS WORK?

Plasmedic works by establishing a flash of heat to ionise the air between the conductor and the skin creating an arc or plasma charge. This flash causes a controlled wound or burn to the skin in which the body then responds to by producing a rush of fibroblast cells to the area that in turn helps to regenerate lost collagen and elastin in the skin.

This ionisation instantly shrinks and tightens the treated area as it reacts to the heat produced by the device. This promotes new skin to reform and rejuvenate leaving you with immediate and amazing results.

These results will continue to improve over the course of the healing period. While the outer-most layer of skin appears healed at approximately 1 week post treatment, the underlying skin can take as long as 12 weeks to fully complete its regeneration cycle. Please be aware that there is a 10 – 12 week stand period before any more plasma treatments may be carried out on any one area.

PRE-TREATMENT INFORMATION

Bookings are to be made via the BOOK NOW button on the Facebook page or our website www.btwbrows.com

A procedure could take between 30 and 60mins depending on the area treated, so please allow that time.

As results do vary from person to person, we recommend 1-3 treatments 10-12 weeks apart at an addition charge. Each treatment will be discounted by 10%.

You are required to return for a follow up consultation at 6weeks.

A \$100 deposit is required at the time of booking to secure your appointment. You have 24hrs to pay this deposit before your appointment is cancelled and given to someone else. If you wish to cancel before 48hr of your appointment, a refund will be issued. There will be no refunds within 48hrs.

There will be NO REFUNDS of treatment price at all.

Deposits to be made to

BTW TRAINING AND BEAUTY
06-0493-0565332-00

Clients should be in good health at the time of the appointment, with no pre-existing health conditions. If the client displays signs of cold or flu the treatment should be rescheduled.



Numbing cream WILL NOT be provided. The client MUST purchase their own numbing ointment (EMLA 5%) from a chemist and apply to the area for up to 1 hour before their appointment time. For EYELID LIFTS ONLY, please bring your ointment to your appointment for application by the technician. Cover the area with cling wrap to keep moist and activated. If the area begins to oxidise and dry out, numbing may not be effective.

- **NO alcohol 24hr before your appointment.**
- **DO NOT come with sunburn or inflamed skin.**
- **DO NOT wear makeup or tint to your appointment.**
- **NO spray tan to be on the face or body at time of appointment.**
- **NO laser or Botox within 6 weeks of your appointment.**
- **Breastfeeding and pregnant women are NOT a candidate for plasma treatments**
- **Clients receiving eye treatments should remove all lash extensions prior to your appointment**
- **Clients prone keloid scarring are not candidates for plasma treatments**
- **Diabetics or clients with thin skin/healing disorders are not candidates for plasma treatments**
- **Clients taking Accutane or Roaccutane medication should not undergo treatment within 12months of ceasing medication**
- **Clients must not display Herpes Simplex Virus (Cold sores/Fever blisters). If you have experienced Herpes Simplex Virus in the past, you must see your Doctor and obtain a prescription for appropriate medication and begin taking it 3 days prior to treatment and for 4 days following. (Mostly for LIP TREATMENTS)**
- **Treatments not ideal for clients with pace makers**

Treatments are ONLY RECOMMENDED for clients with light – medium skin tones as risk of hyper/hypopigmentation is increased in those with dark – very dark skin.

Just a few questions to ask yourself before booking.

Are you pregnant or breastfeeding?

Are you taking any medications for anything at all?

Do you have any skin irritations or sensitive skin?

Do have allergies to numbing ingredients?

Are you diabetic or have a healing disorder?

Do you have any transferable diseases?

If you answered yes to any of these questions, please contact me before booking.



Please be aware – Indirect healing time (under the skin – not visible) is between 10 & 12 weeks and results will vary according to the individual. Please understand that some may have greater results than others who may subsequently need further treatment. There is never a guaranteed life span for PLASMEDIC Skin Tightening, however results will last years.

ON THE DAY OF TREATMENT

Upon arrival, you'll need to complete a medical/consent form before commencing treatment. Once we begin, you may feel some heat in the area which could be slightly uncomfortable and a little irritating. We suggest taking an anti-histamine 60mins before your appointment to help with swelling. You may continue taking these for 2-3 days post treatment.

Immediately following the treatment, the area will be red and slightly swollen. It may feel hot and tight much like a sunburn which may last a few hours. You will see numerous tiny dots and discolouration which will form crusts and fall away after approximately 4-5 days.

Discolouration may last 10-12 days. Swelling will likely intensify over the coming days. We suggest cold compress and sleeping elevated to help elevate this.

Results will be seen immediately and will continue to improve over the coming weeks. Mineral makeup can be applied after 2 days post treatment.

Before leaving, you will be given strict aftercare information which should be followed carefully if best results are to be achieved.

Driving after a procedure is permitted as swelling should be minimal and not set in until the following day.

HOW LONG DOES A TREATMENT LAST?

PLASMEDIC treatments will produce instant results which can be seen as the treatment is being performed. The client will notice some improvement immediately following their treatment, although best results will be seen between weeks 4 & 6 as the skin renews.

A second or third treatment may be required after 6 weeks depending on the desired outcome of the client.

A Plasmedic Skin Tightening treatment, while not 100% permanent, should last the client YEARS depending on their age and area treated. Because the treatments won't stop the client from further aging, we cannot guarantee a permanent result, we can however, promise an amazing and lasting result without the invasion of surgery, drawing blood, causing bruising or scarring and prolonged downtime.



It is important to note that some lifestyle factors may have an effect on the treatment's permanency. Things such as smoking, alcohol consumption and prolonged sun exposure may cause skin damage and hinder the result. Clients must also be aware that their genetics and race may also affect their results.

RISKS AND SIDE EFFECTS

PLASMEDIC has been proven to be a safe treatment if being performed by a trained and certified technician. It is non-invasive and does not cause bleeding or bruising of any nature. While numbing creams are applied before the procedure is carried out, clients may still feel some slight discomfort during and after.

Some redness and swelling will be noticeable for 24-48hrs following a procedure but should begin to subside after 12hrs. Swelling may be increased the next day as plasma and fibroblasts begin to respond to the area. Increased swelling in the eye area is to be expected and could last between 3-5 days.

Clients will have numerous tiny brown dots on the treated area for 4-7 days following the treatment which will appear scabbed. These dots will dry out and fall off once the natural exfoliation phase has passed revealing new pink skin underneath.

Like any cosmetic procedure, there are always risks and side effects involved.

- **Pain-** Most people feel some heat-related discomfort during the treatment. This discomfort is usually temporary during the procedure and localized within the treatment area.
- **Redness and Swelling-** Plasma treatments will cause varying degrees of redness and swelling in the treatment area. These common side effects last from several days to a couple of weeks depending upon the aggressiveness of the treatments.
- **Itching-** This can occur as part of the normal wound healing process or may occur as part of infection, poor wound healing or contact dermatitis.
- **Acne or Milia Formation-** A flare-up of acne or formation of milia, tiny white bumps or small cysts on the skin, may occur. These symptoms usually resolve completely. Although not necessary, on occasion a series of prophylaxis antibiotics may be prescribed by your Doctor.
- **Pigment Changes-** During the healing phase, the treated area may appear to be darker. This is called PIH, post inflammatory hyperpigmentation. PIH occurs as a part of the normal skin reaction to injury. This pigmentation usually fades in 3 to 6 months.



- **Hypo-pigmentation-** In some patients who experience pigment changes, the treated area loses pigmentation and becomes a lighter colour than the surrounding skin. This type of reaction may also be permanent.
- **Bleeding; Oozing; Crusting-** Aggressive treatment may cause pin point bleeding and/or oozing. Crusting or scabbing may form after the drying of clear fluid or blood. These reactions need to be reported to the office for additional post care instructions.
- **Blisters; Burns; Scabbing-** Heating in the upper layers of the skin may occasionally cause blisters or burns and subsequent scab formation. The blisters usually disappear within 2-4 days. A scab may be present after a blister forms, but typically will disappear during the natural wound healing process of the skin.
- **Scarring-** Scarring is a possibility due to the disruption to the skin's surface and/or abnormal healing. Scars, which can be permanent, may be raised or depressed, and scarring could lead to loss of pigment or hypo-pigmentation in the scarred area.
- **Melasma –** Melasma is a condition which is very difficult to treat. Although good results have been obtained, multiple treatments, as well as use of bleaching creams are necessary for optimal results. No guarantees can be offered, as results vary greatly from patient to patient.

Clients with dark skin are not suited to PLASMEDIC treatments as hyperpigmentation (dark spots) or hypopigmentation (light spots) is likely to occur.

Pregnant and breastfeeding women are not candidates for Plasma Pen Pro treatments as risk of infection is increased and hormonal imbalances may have an effect on results.